

Discs and Back-up Pads

Cloth Discs



3M™ Hookit™ Clean Sanding Disc 900DZ

Get a fast cut and long disc life with our 3M™ Hookit™ Clean Sanding Disc 900DZ. Resin-bonded to a light and flexible J-weight cloth backing, 900DZ's premium ceramic grain slices through steel and resists loading on soft woods and metals. An anti-static treatment and our proprietary clean sanding design help to provide exceptional dust management backed up by our clean sanding accessories.

UPC	Packaging	Size	Max RPM	Grade	Case Qty/Units
0-00-51141-28121-6	50 discs per box	5 in	12,000	P120	5 Boxes
0-00-51141-28130-8	50 discs per box	5 in	12,000	P150	5 Boxes
0-00-51141-28138-4	50 discs per box	6 in	12,000	P180	5 Boxes



3M™ Hookit™ Cloth Disc 900DZ

3M™ Hookit™ Cloth Disc 900DZ cuts fast with 3M™ Ceramic Abrasive Grain resin-bonded to a light and flexible J-weight cloth backing. Available in 7 grades, this 5-inch disc features an open-coat design and anti-static properties, making it exceptionally well-suited for materials that tend to load. Our Hookit™ system makes for quick disc change-out and easy re-use.

UPC	Packaging	Size	Max RPM	Grade	Case Qty/Units
0-00-51141-28140-7	50 discs per box	5 in	12,000	60	5 Boxes
0-00-51141-28141-4	50 discs per box	5 in	12,000	80	5 Boxes
0-00-51141-28142-1	50 discs per box	5 in	12,000	P100	5 Boxes
0-00-51141-28143-8	50 discs per box	5 in	12,000	P120	5 Boxes
0-00-51141-28144-5	50 discs per box	5 in	12,000	P150	5 Boxes
0-00-51141-28145-2	50 discs per box	5 in	12,000	P180	5 Boxes
0-00-51141-28146-9	50 discs per box	5 in	12,000	P220	5 Boxes



3M™ Stikit™ Cloth Disc 900DZ

3M™ Stikit™ Cloth Disc 900DZ features high-performing 3M™ Ceramic Abrasive Grain with a static-resistant, open coat on a flexible adhesive backing for exceptional sanding performance on both contoured and flat surfaces. The open coat abrasive provides a more aggressive cut than a comparable closed coat abrasive of the same grade and is well-suited when loading is a problem.

UPC	Packaging	Size	Max RPM	Grade	Case Qty/Units
0-00-51141-28099-8	50 discs per box	5 in	12,000	60	5 Boxes
0-00-51111-49639-8	50 discs per box	5 in	12,000	80	5 Boxes
0-00-51111-49640-4	50 discs per box	5 in	12,000	P100	5 Boxes
0-00-51111-49641-1	50 discs per box	5 in	12,000	P120	5 Boxes
0-00-51111-49643-5	50 discs per box	5 in	12,000	P150	5 Boxes
0-00-51111-49642-8	50 discs per box	5 in	12,000	P180	5 Boxes
0-00-51111-49644-2	50 discs per box	5 in	12,000	P220	5 Boxes



3M™ Cubitron™ II Hookit™ Cloth Disc 947A

3M™ Cubitron™ II Hookit™ Cloth Disc 947A offers revolutionary performance with 3M Precision Shaped Grain on an X-weight polyester-cotton cloth backing. Our high-performing disc contains a grinding aid, making it ideal for medium to high pressure applications on stainless steel and other exotic alloys, along with carbon steel, cobalt chrome, and nickel alloys.

UPC	Packaging	Size	Max RPM	Grade	Case Qty/Units
0-00-76308-45703-7	25 per box	5 in	12,000	40+	8 Boxes
0-00-76308-45704-4	25 per box	5 in	12,000	60+	8 Boxes
0-00-76308-45705-1	25 per box	5 in	12,000	80+	8 Boxes
0-00-76308-45706-8	25 per box	5 in	12,000	120+	8 Boxes
0-00-76308-45719-8	25 per box	6 in	12,000	40+	8 Boxes
0-00-76308-45720-4	25 per box	6 in	12,000	60+	8 Boxes
0-00-76308-45721-1	25 per box	6 in	12,000	80+	8 Boxes
0-00-76308-45710-5	25 per box	6 in	12,000	120+	8 Boxes

Discs and Back-up Pads

Film Discs



3M™ Hookit™ Clean Sanding Disc 360L

3M™ Hookit™ Clean Sanding Disc 360L offers the latest innovation in dust evacuation. Multi-hole patterns evacuate dust better than 5- or 6-hole products—increasing cut-rate and disc life. The design does not need to align with the disc pad holes, making switching the discs fast, easy, and convenient.

UPC	Packaging	Size	Max RPM	Grade	Case Qty/Units
0-00-51141-20541-0	100 discs per box	5 in	12,000	P220	5 Boxes
0-00-51131-01705-4	100 discs per box	5 in	12,000	P240	5 Boxes
0-00-51131-01706-1	100 discs per box	5 in	12,000	P280	5 Boxes
0-00-51131-01707-8	100 discs per box	5 in	12,000	P320	5 Boxes
0-00-51141-20543-4	100 discs per box	5 in	12,000	P400	5 Boxes
0-00-51131-01709-2	100 discs per box	5 in	12,000	P500	5 Boxes
0-00-51131-01710-8	100 discs per box	5 in	12,000	P600	5 Boxes
0-00-51131-01711-5	100 discs per box	5 in	12,000	P800	5 Boxes
0-00-51131-01712-2	100 discs per box	5 in	12,000	P1000	5 Boxes
0-00-51141-20798-8	100 discs per box	6 in	12,000	P220	5 Boxes
0-00-51141-20799-5	100 discs per box	6 in	12,000	P240	5 Boxes
0-00-51141-20800-8	100 discs per box	6 in	12,000	P280	5 Boxes
0-00-51141-20801-5	100 discs per box	6 in	12,000	P320	5 Boxes
0-00-51141-20802-2	100 discs per box	6 in	12,000	P400	5 Boxes
0-00-51141-20803-9	100 discs per box	6 in	12,000	P500	5 Boxes
0-00-51141-20804-6	100 discs per box	6 in	12,000	P600	5 Boxes
0-00-51141-20805-3	100 discs per box	6 in	12,000	P800	5 Boxes
0-00-51141-20806-0	100 discs per box	6 in	12,000	P1000	5 Boxes



3M™ Cubitron™ II Hookit™ Clean Sanding Film Disc 775L

3M™ Cubitron™ II Hookit™ Clean Sanding Film Disc 775L features 3M Precision-Shaped Ceramic Grain, a revolutionary advancement in abrasive technology. The triangular shaped ceramic mineral is designed to slice through the substrate, rather than gouging or “plowing” like conventional abrasives.

UPC	Packaging	Size	Max RPM	Grade	Case Qty/Units
0-00-51125-86822-8	50 discs per box	5 in	12,000	80+	5 Boxes
0-00-51125-86823-5	50 discs per box	5 in	12,000	120+	5 Boxes
0-00-76308-64258-7	50 discs per box	5 in	12,000	150+	5 Boxes
0-00-76308-64264-8	50 discs per box	5 in	12,000	180+	5 Boxes
0-00-76308-64270-9	50 discs per box	5 in	12,000	220+	5 Boxes
0-00-76308-47097-5	50 discs per box	5 in	12,000	240+	5 Boxes
0-00-76308-47081-4	50 discs per box	5 in	12,000	320+	5 Boxes
0-06-38060-05058-3	50 discs per box	5 in	12,000	400+	5 Boxes
0-00-51125-86824-2	50 discs per box	6 in	12,000	80+	5 Boxes
0-00-51125-86825-9	50 discs per box	6 in	12,000	120+	5 Boxes
0-00-76308-64259-4	50 discs per box	6 in	12,000	150+	5 Boxes
0-00-76308-64265-5	50 discs per box	6 in	12,000	180+	5 Boxes
0-00-76308-64271-6	50 discs per box	6 in	12,000	220+	5 Boxes
0-00-76308-47098-2	50 discs per box	6 in	12,000	240+	5 Boxes
0-00-76308-47082-1	50 discs per box	6 in	12,000	320+	5 Boxes
0-06-38060-05059-0	50 discs per box	6 in	12,000	400+	5 Boxes



Discs and Back-up Pads

Film Discs (cont.)



3M™ Trizact™ Hookit™ Clear Coat Sanding Disc 471LA

3M™ Trizact™ Hookit™ Clear Coat Sanding Abrasive Disc 471LA is ideal for spot repairs, including leveling dust nibs and orange peel, before sand scratch removal. Microreplicated 3-D mineral abrasive structures are distributed uniformly across the disc surface and wear evenly for consistent repair and longer disc life. Film-backed discs are part of the 3M™ Perfect-It™ Paint Finishing System.

UPC	Packaging	Size	Grade	Case Qty/Units
0-40-46719-90733-5	25 discs per carton	6 in	P1500	4 Cartons



3M™ Hookit™ Purple Finishing Film Disc 260L

The 3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L features an updated coating that levels surface defects on clear coat and greatly reduces pigtails. Aluminum oxide abrasive cuts fast, lasts a long time, resists loading with or without hole pattern designs and leaves a consistent, easy-to-polish finish. The 3M™ Hookit™ attachment system makes disc change-outs fast and easy.

UPC	Packaging	Size	Grade	Case Qty/Units
0-00-51131-30567-0	50 discs per carton	5 in	P1500	4 Cartons
0-00-51131-30566-3	50 discs per carton	5 in	P2000	4 Cartons
0-00-51131-30667-7	50 discs per carton	6 in	P1500	4 Cartons
0-00-51131-30666-0	50 discs per carton	6 in	P2000	4 Cartons



3M™ Trizact™ Hookit™ Foam Disc

The 3M™ Trizact™ Hookit™ Foam Abrasive Disc removes fine sand scratches on painted surfaces to reduce the amount of time spent compounding. Three-dimensional mineral abrasive structures are distributed uniformly across the disc surface and wear evenly for consistent finishes, longer disc life and reduced material costs. Foam backed discs are part of the 3M™ Perfect-It™ Paint Finishing System.

UPC	Packaging	Size	Grade	Case Qty/Units
0-00-51131-02096-2	15 discs per carton	5 in	P3000	4 Boxes
0-00-51131-30562-5	15 discs per carton	5 in	P5000	4 Boxes
0-00-51131-30805-3	15 discs per carton	5 in	P8000	4 Boxes
0-00-51131-02085-6	15 discs per carton	6 in	P3000	4 Boxes
0-00-51131-30662-2	15 discs per carton	6 in	P5000	4 Boxes
0-00-51131-30806-0	15 discs per carton	6 in	P8000	4 Boxes

Back-up Pads



3M™ Stikit™ Low Profile Finishing Disc Pad

The 3M™ Stikit™ Low Profile Finishing Disc Pad is a soft density backup pad in 5- or 6-inch diameters for 5- and 6-inch abrasive discs. The soft density foam provides additional conformability and is ideal for final surface finishing applications following leveling and blending process steps.

UPC	Size	Description	Max RPM	Max OPM	Case Qty/Units
0-00-51131-05545-2	5 in x 1/16 in x 5/16-24 EXT	Low Profile Finishing	10,000	12,000	10 Each
0-00-51131-05546-9	6 in x 1/16 in x 5/16-24 EXT	Low Profile Finishing	10,000	12,000	10 Each



3M™ Stikit™ Low Profile Disc Pad

3M™ Stikit™ Low Profile Disc Pad provides secure attachment for a 3M™ Stikit™ Disc (sold separately) on a random orbital sander or other rotary tool. This lightweight, shock-resistant backup pad is constructed of firm density foam for sanding flat surfaces, and has a tapered edge for applications where some flexibility is needed.

UPC	Size	Description	Max RPM	Max OPM	Case Qty/Units
0-00-51141-20351-5	5 in x 3/8 in x 5/16-24 EXT	Red Foam; Low Profile	12,000	12,000	10 Each
0-00-51141-20354-6	6 in x 3/8 in x 5/16-24 EXT	Red Foam; Low Profile	12,000	12,000	10 Each

Discs and Back-up Pads

Back-up Pads (cont.)



3M™ Hookit™ Low Profile Finishing Disc Pad

The 3M™ Hookit™ Low Profile Finishing Disc Pad is a soft density backup pad in 5- or 6-inch diameters for 5- and 6-inch abrasive discs. The soft density foam provides additional conformability and is ideal for final surface finishing applications following leveling and blending process steps.

UPC	Size	Description	Max RPM	Max OPM	Case Qty/Units
0-00-51144-77855-3	5 in x 1/8 in x 3/16-24 EXT	Low Profile Finishing	12,000	12,000	10 Each



3M™ Hookit™ Clean Sanding Low Profile Finishing Disc Pad

3M™ Hookit™ Clean Sanding Low Profile Finishing Disc Pad is constructed of soft density foam with a 10 degree blunt tapered edge and is recommended for finishing applications on flat or contoured surfaces where dust evacuation is needed. Use this disc pad with grades 220 and higher 3M™ Clean Sanding or 3M™ Hookit™ D/F discs (sold separately).

UPC	Size	Description	Max RPM	Max OPM	Case Qty/Units
0-00-51141-20290-7	5 in x 1/8 in x 3/16-24 EXT	44 Holes, Low Profile Finishing	12,000	12,000	10 Each
0-00-51141-20425-3	6 in x 1/8 in x 3/16-24 EXT	53 Holes, Low Profile Finishing	12,000	12,000	10 Each



3M™ Hookit™ Low Profile Disc Pad

3M™ Hookit™ Low Profile Disc Pad is firm yet flexible to give you versatility for flat sanding applications. Use this disc pad with coarse grades where good leveling is needed. This innovative pad is constructed of firm density foam with a 35 degree tapered edge and is ideal for aggressive flat sanding operations.


UPC	Size	Description	Max RPM	Max OPM	Case Qty/Units
0-00-51141-20352-2	5 in x 3/8 in x 3/16-24 EXT	Red Foam; Low Profile	12,000	12,000	10 Each
0-00-51141-20355-3	6 in x 3/8 in x 3/16-24 EXT	Red Foam; Low Profile	12,000	12,000	10 Each



3M™ Hookit™ Clean Sanding Low Profile Disc Pad

3M™ Hookit™ Clean Sanding Low Profile Disc Pads are firm yet flexible to provide versatility for flat sanding applications and are designed to securely hold a 3M™ Hookit™ Clean Sanding Disc on a random orbital sander (discs sold separately). Use this disc pad with coarse grades where good leveling is needed.

UPC	Size	Description	Max RPM	Max OPM	Case Qty/Units
0-00-51141-20353-9	5 in x 3/8 in x 3/16-24 EXT	44 Holes, Red Foam, Low Profile Finishing	12,000	12,000	10 Each
0-00-51141-20356-0	6 in x 3/8 in x 3/16-24 EXT	52 Holes, Red Foam, Low Profile Finishing	12,000	12,000	10 Each



3M™ Hookit™ Clean Sanding Painter's Backup Pad

The 3M™ Hookit™ Clean Sanding Painter's Back-up Pad is excellent for auto body painting jobs such as following contours and sanding close to edges, while maximizing dust extraction. This soft density foam pad features a clean sanding 6-hole pattern for effective dust evacuation with 6-hole discs. 3M™ Hookit™ attachment makes disc change-out fast and easy, maximizing disc life.

UPC	Size	Case Qty/Units
0-00-51131-05858-3	5 in	10 Each
0-00-51131-05551-3	6 in	10 Each



3M™ Hookit™ Soft Interface Pad

This soft density foam 3M™ Hookit™ Soft Interface Pad adds cushion and conformability to 3M Hookit™ back-up pads for auto body sanding applications requiring precision across uneven surfaces. It increases abrasive cut and enables more consistent contact of abrasive discs around surface contours, plus the pad allows closer sanding to edges for smoother, more refined finishes.

UPC	Size	Case Qty/Units
0-00-51131-05777-7	6 in x 1/2 in x 3/4 in	10 Each

Buffing Pads and Adaptor

Buffing Pads



3M™ Perfect-It™ Wool Compound Pad

The 3M™ Perfect-It™ Wool Compound Pad is 3M's highest performing wool compounding pad. This 100% wool product aggressively removes clearcoat scratches with smooth, controlled rotary action. Run the pad on a rotary buffer/polisher and use it in combination with 3M™ Perfect-It™ EX Rubbing Compounds for a complete system that excels at sand scratch removal and correction.


UPC	Size	Color	Case Qty/Units
0-00-51131-05753-1	9 in	White	6 Each



3M™ Perfect-It™ Wool Polishing Pad

The 3M™ Perfect-It™ Wool Polishing Pad combines fast cut and a fine finish when removing compound swirl marks and fine paint defects. Quick Connect attachment makes for fast, easy centering and allows for quick changeouts. This pad is part of our Perfect-It™ Paint Finishing System, signifying 3M's highest performing double-sided wool-blend pad.

UPC	Size	Color	Case Qty/Units
0-00-51131-05754-8	9 in	Yellow	6 Each



3M™ Perfect-It™ Foam Compounding Pad

The 3M™ Perfect-It™ Foam Compounding Pads are 3M's highest-performing foam compounding pads for refining sand scratches, slow-speed polishing, denibbing and more. Foam face pattern provides more surface contact, holds compound better and reduces slinging. Doubled-sided pads work with 3M™ Quick Connect Adaptors on rotary polishers; double-sided pads work with the 3M™ Hookit™ system for easy change-outs.


UPC	Size	Color	Case Qty/Units
0-00-51131-05706-7	8 in	White	6 Each



3M™ Perfect-It™ Foam Polishing Pad

3M™ Perfect-It™ Foam Polishing Pad is a soft foam buffing pad used to buff out fine scratches created from compounding steps. The waffle face gives you greater surface contact area than flat surface pads over contoured surfaces, minimizes heat buildup during buffing and helps eliminate swirl marks. It also helps the pad hold the polish and reduce slinging.

UPC	Size	Color	Case Qty/Units
0-00-51131-05707-4	8 in	Black	6 Each



3M™ Perfect-It™ Ultrafine Polishing Pad

The 3M™ Perfect-It™ Ultrafine Polishing Pad helps to eliminate swirl marks on painted surfaces, even on difficult dark colored cars. Featuring a unique waffle face design that holds liquid polish, this pad applies polish evenly without releasing excess polish that may cause ripples in the finish.

UPC	Size	Color	Case Qty/Units
0-00-51131-05708-1	8 in	Blue	6 Each

Adaptor



3M™ Perfect-It™ Quick Connect Adaptor

3M™ Perfect-It™ Quick Connect Adaptor makes it easy to connect or disconnect double-sided buffing pads on rotary polishers. This heavy-duty adaptor saves both time and effort in an automotive body shop by making pad changes so quick and simple. 5/8" thread.

UPC	Size	Case Qty/Units
0-00-51131-05752-4	5/8 in	10 Each